



12/08/11 04:01 PM

# Mixers, Blenders and Agitators

ReportO\_2e  
Class code C.0000009

Page 1

Code	Type	Make	Model	Size	Remarks
DA56916	Agitator	RADICON	1hp x1.1rpm		Floc Stirrer Shaft Only No Blades with 4" Radicon BVD400 870:1 Ratio
DA56917	Agitator	RADICON	1hp x 1.1rpm		Floc Stirrer Shaft Only No Blades With 4" Radicon BVD400 870:1 Ratio
DA56921	Agitator	RADICON	1hp x 2.2rpm		Floc Stirrer Shaft Only No Blades With 4" Radicon BVD400 427.75:1 Ratio
DH53001	Agitator		3 Blade S/S		Side Mounted New In Box 5.5kW Exd Motor
JV0256	Agitator	BCP	250 (od) x 2.4M		Vertical 3 Blade 2.2kW x 960rpm S/S
JY09124	Agitator		2.3 Long		2 x Propeller Type 3 Blade S/Steel With 3 X320mm Long Blades
JY09126	Agitator	TITANIUM	3M x1.4		Paddle Mixer
JY09128	Agitator		3M Long		4 x Turbo Mixers S/Steel
JY09129	Agitator		4M Long		S/Steel 3 Blade Propeller Type
DH53124	Agitator	LIGHTNIN	Head Only		.50hp x 290rpm
KC71715	Agitator	ASEA	300 Long		1.5hp @69rpm 300long 170 diam 6 blades stainless
ID55350	Agitator	LIGHTNIN	Stainless Steel		S/Steel Shaft .50KW Motor 10" 4 Blade Prop Direct Coupled 1Mt Long 600RPM
06834	Agitator	LIGHTNIN	< Not specified >		1.5Hp, 1440rpm, C/H variable speed drive, no shaft, 500-2000rpm
06838	Agitator	LIGHTNIN	Inline		Inline 3/4Hp (1415/1720 rpm)
07004	Agitator	STOBER	136 - 680	9.00	9kw, 136-680 rpm, variable speed, propellar type, 3 blade, stainless steel shaft
07021	Agitator	TYPHOON	816F21		15kw 1445 RPM. Stainless steel shaft and blades
08602	Agitator	LIGHTNIN	77C30 - 22kw	22/11	Large agitator head, dual speed, 48 and 24rpm, Pope Electric Motor 22kw/11kw, require shafts, 2 units available.
08628	Agitator	TECO	high shear agitator	3.00	3kw High Shear agitator with clamp that attaches to the side of a tank, st/steel shaft and blade
DI11741	Blender	SCOTT GOSSELIN	SS Butter Churns	10000L	S/Steel butter churners, 35Hp Motor
08017	Blender		M/S 300It	300It	Mild steel mixer with a centre outlet 150mm x 150mm sliding gate. Unit complete with a 5.5kw geared motor drive.
08568	Blender	A & G ENGINEERING	FERMENTER		These fermenters were last used to process grapes. Two units were fermenting 100 Ton each; the other Three were processing 70 Ton each. All 5 fermenters are 316 S/S with a jacket and insulation around the tanks; they are chain driven through a Flender gearbox. Fermenter's can be sold individually or as a plant. Excellent condition.
08757	Blending Station		Batching Plant		Batching plant consists of 3 silos and a discharge hopper with a single load cell, regulated via air valves. Also has PLC controls to be able to regulate via flow rates. Product is fed into the silos via screw auger, plant is 12months old and has never been used. Located in situ in Melbourne. Inspections welcome, buyer to remove.
08764	Blending Station	FRISTAM	Powder Mixer		The Fristam Stainless steel powder mixer is designed to dissolve powders in fluids on the first pass through a mixing head and pump. Powders are fed into the hopper above and then drawn directly into the fluid product stream. Capacity 10-15m3/hr, Fristam FZ 17 Liquid Ring Pump, 4kW with SS motor shroud. Fristam FSPE 3522 Shear Pump, 9.2kW with SS motor shroud, with dust hood and hopper ontop.

This symbol signifies that photos are available for this product on our Website under Catalogue



12/08/11 04:01 PM

# Mixers, Blenders and Agitators

Report0\_2e  
Class code C.0000009

Page 2

Code	Type	Make	Model	Size	Remarks
08554	Candy/Syrup Vacuum Cooker	TER BRAAK	Vac Cooker		Twin Head ,single bowl Vacuum Cooker, 10bar, steam conections, Vac Pump, agitated bowls.
06937	Cooler/Mixer	T.K. FIELDER	KM1200	1200	Bowl 1800 x 450 deep. Jacketed. Motor 7.5kw, 52rpm on Blade. Ex Plastics
08701	Cooler/Mixer	MOJONNIER	FLO-MIX GSO		Mojonnier Carbo cooler /Flo-Mix .Model GSO flow mix, Carbo cooler 64-60AG. Twin tank Unit ex Schweppes used to cool and blend carbonated soft drinks , uses Ammonia to coc the product.
07726	Disperser	F.A.MAKER	GFS-18.5	18.5	High Speed Disperser, ABB 18.5kw main motor, hydraulic raise and lower of blade, 1200mm ground clearance, OMRON electronic variable speed drive and control cabinet.
08075	Disperser	ONSLow	50Hp	50	Disperser, 50Hp Reeves drive, 540rpm-3240rpm, 2200L stainless steel tank, dimple jacketed and insulated.
08133	Disperser	ONSLow	3000L	3000	Single shaft, mult motor mild steel disperser, 15kw and 30kw drives, Exd motors, 3000L tank with a cone bottom.
08134	Disperser	ONSLow	2000L	2000	Mild steel disperser, 18.5kw variable speed reeves drive, 2000L tank with sloping bottom, 2inch outlet, 4 x 1.5 inch inlets.
08165	Disperser	MILLER	Small Disperser		Small Miller disperser, 7.5kw drive Ex, 125mm blade, suitable for paints, inks and liquids. Complete with variable speed drive pneumatic raise and lower.
08581	Disperser	FILLWORTH	FDD 25	25	FDD Rotor Stator Disperser is a high speed disperser that forces the product through the high efficiency impeller and grid plate. Requires a mixing vessel and will process up to 200L per batch, 13kw drive motor with hydraulic power pack to raise and lower mixing blade.
08591	Disperser	GAST	Air Disperser		Small disperser with air driven motor, 100mm dia blade, approx 500mm rise and fall, manual operation, runs well.
08792	Disperser	SARDIK	< Not specified >		Sardik Disperser, Exe .75Kw 415v Motor. 800mm shaft. 140mm diam blade, Mounted on Rise and Fall Stand.
07038	DoubleArm	BAKER PERKINS	Double Arm	800	Heavy duty, mild steel, double arm, jacketed, sigma mixer with cored overlapping masticator blades. 125Hp drive with heavy duty gear box, 28rpm shaft speed, hydraulic tilt with self contained power pack and switchboard. Approx 800L bowl capacity. Ex Rubber industry.
07308	Emulsifier	KARL SCHNELL	FLM2		Stainless steel wet end, 100Hp motor @ 2880rpm, no frame.
08249	Emulsifier	KARL SCHNELL	F28		St/Steel emulsifier up to 4000kg/hr throughput, 22kw motor, 415V, runs well.
07862	High Intensity	APV	Tweedy		Tweedy mixer, effective dispersion of ingredients and uniform dough mixing.55kw ABB motor.Tilting discharge. 300lt capacity. Missing Lid and control panel..
ID55367	High Speed	SUPERMIXER	300 Litre	300L	Jacketed Bowl, Motor 55kw/4pole 27.5kw/8pole, c/w switchboard, 300 L bowl.
KC71674	High Speed	TKJAPAN	TK Combi Mix	2000	Mild Steel Jacket, Stainless Internal 1.4dx1.5h, Homo mixer 22/11kw@2900/1400rpm, Anchor mixer 3.7kw.

This symbol signifies that photos are available for this product on our Website under Catalogue



12/08/11 04:01 PM

# Mixers, Blenders and Agitators

Report0\_2e  
Class code C.0000009

Page 3

Code	Type	Make	Model	Size	Remarks
07814	High Speed	MTI	M100		High speed mixer, dual speed, 140 Litre st/steel bowl, 37/45kw, 1500/3000rpm, 415V.
07815	High Speed	HENSCHHELL	FM150		High speed mixer, st/steel 150 Litre bowl, dual speed, 22/32kw, 1500/3000rpm, 415V.
06612	Inline Continuous Mixer	SIEFER	SM-D3		High Shear Mixer (for wet size reduction) - Inlet 150x150mm, capacity 20/25m3/hr, requires a 90kw motor.
KC71758	Mixer	ONSLow	700L	700L	Low Speed (Mastic) Removeable Container V/Speed 18.5Kw
06517	Mixer	BEARDSLEY & PIPER	Muller	1400mm	B&P Sand System with sandmuller, 30Hp drive, vibrating cooling conveyor, aerator, estimate 10-15 TPH.
06537	Mixer	HONDA	CKH-J80	600x80mm	Honda Continuous Kneader, S/Steel twin screws 600x80mm, 3.7kw drive, 9-36rpm, jacketed, control box.
06628	Mixer	PEERLESS	25L	25L	3 Speed, 240 Volt, No Bowl, Good Order.
08336	Mixer	GUMUS	60L SS		St/Steel change can mixer, 60L vessel, 415V motor. Tank dimensions 400dia x 500mm tall. Change can mixer, means that the shaft is easily removed to take the vessel away.
08395	Mixer	BYRNE & DAVIDSON	S/S 1000	1000	Tumbler or Cube Mixer 1 cubic meter. All stainless steel contact parts. Mixer is 1.2 x 1.2 x 1.2 outlet 150mm inlet 200mm complete with a 5.5kw varispeed drive with solenoid brake.
06764	MixingBowl		stainless steel	70	Scraped surface mixer bowl size 75mm dia x 40mm deep, 70Litres, jacketed stainless bowl and variable speed drive.
07169	MixingBowl	BCH	175lt		Scraped surface, JKT Tilting Pan(copper) Steam 125 PSI, 7.5hp V/speed drive
JY09027	PaddleMixer		Stainless Steel	3100L	S/S Liquid/Liquid 4kw Drive Detergent Mixing
JY09028	PaddleMixer		Stainless Steel	3100L	S/Steel Liquid mixer 4kw Drive was last used on Detergent Mixing. 3 internal paddle blades.
BA46848	PaddleMixer		Stainless Steel	700L	Stainless Steel 70mm Outlet
08397	PaddleMixer	STAINLESS ASSOCIATES	S/S 700	700	2 available. Food grade Stainless Steel single paddle vertical mixer's with a 50mm outlet at the bottom. Complete with lid and safety switch. .75kw 8.3 rpm SEW geared drive.Were last used for mixing bircher muesli.
08398	PaddleMixer	STAINLESS ASSOCIATES	S/S1200	1200	Food grade stainless steel vertical paddle mixer. Approx 1200lt. With lid and safety switch. 50mm outlet. Complete with a 1.5kw 8.3 rpm SEW geared drive. Last used to mix bircher museli.
08632	PaddleMixer	UNKNOWN	MS Paddle Blender 900Lt	900	Mild Steel jacketed paddle blender, 900L bowl, 15kw SEW variable speed drive, 10-58rpm, exd Motor, 80mm outlet. Bowl size 1200L x 970W x 900deep. Last used to make Blu-Tac.
08809	PaddleMixer		M/S 2400	2400LT	Mixer comes with an auger discharge screw for bagging off. Bowl size 2m x 1m x 1.2 Approx 2.4m3 capacity. Mixer drive 3kw at 13.9rpm.

This symbol signifies that photos are available for this product on our Website under Catalogue



12/08/11 04:01 PM

# Mixers, Blenders and Agitators

Report0\_2e  
Class code C.0000009

Page 4

Code	Type	Make	Model	Size	Remarks
					Discharge screw conveyor 200mm diam, drive 2.2kw 182rpm.
DH55857	Planetary	SPANGENBERG	150 Litre	150L	Planetary Vac FT150GV 2S/Motor 25/2 & 18/4 S/S Bowl 600 x 600
DH55858	Planetary	SPANGENBERG	150 Litre	150L	Planetary Vac FT150GV 2 S/Motor 25/2 & 18/4 S/S Bowl 600 x 60
07054	Planetary	BEKEN	50	50	Putty mixer, 3Hp, 220V, 50 litre m/steel mixing bin.
07055	Planetary	BEKEN	25	25	Putty mixer, 3Hp, 220V, 25 litre m/steel mixing bowl.
07056	Planetary	GEORGE YOVELL	100		Putty Mixer, 15Hp, 220V, 100 litre m/steel mixing bowl, self contained hydraulic power pack to raise-lower mixer.
08370	Planetary	TOLEDO	TOLEBERKEL	30	Toledo Berkel Planetary mixer, 1 hp raise and lower with spare mixing tools. 3 speeds. 30 lt stainless tank.
D183128	Plough	LODIGE	KM300		Ploughshare V/Speed Cont Mixer Platform & Ladder 9m <sup>3</sup> hr
08536	Plough	LODIGE	FKM2000	2000	FKM2000 1994 Ploughshare mixer with 2.000 l. gross capacity, 45 kW drive via Flender gearbox (SZN 160) and hydrodynamic clutch, with pneumatically operated discharge gate, equipped with 3 choppers and legs.
06645	RibbonBlender	F.A.MAKER	2000L SS	2000	Stainless Steel 2000L Ribbon Blender, double helix ribbon 30rpm, 200mm flanged center outlet complete with 11kW drive and gearbox to suit.
06812	RibbonBlender	F.A.MAKER	1000L SS	1000	Stainless Steel 1000L Ribbon Blender, double helix ribbon, flanged center outlet complete with 7.5kw drive and 50:1 gearbox, provides a final drive speed of 29rpm. Also available in 500L and 2000L.
06997	RibbonBlender	F.A.MAKER	5000L MS	5000	5000L Ribbon blender, double helix ribbon, bowl 3050 L x 1370w x 1478 deep, 90mm shaft, heavy duty construction, wide opening for filling suitable for front end loader, 10" outlet. Blender needs to be ordered as no stock currently held.
07634	RibbonBlender	F.A.MAKER	3000L SS	3000	3000litre stainless steel double helix ribbon blender, 18kw drive and gearbox, 24rpm, 10inch discharge. Bowl width 1200mm x 3050mm long x 1250mm deep. Also available in mild steel.
07960	RibbonBlender	F.A.MAKER	500L SS	500	500L Stainless steel blender with a new blade design for more efficient mixing. Blender is suitable for mixing powders or similar materials. It has a 6inch center bottom discharge and a loading hopper on top. There is a 4kw drive running into a 5inch gearbox to provide the torque. All contact parts are stainless steel, it also has two hinged access lids on the top and one central grated mesh for loading. Legs can be made up and wheels can be attached for mobility around the factory.
08487	RibbonBlender	JACMOR ENGINEERING	4000L SS	4000	St/Steel Double helix ribbon blender on stand. 7.5kw geared motor drive, shaft speed 22rpm. Pneumatic lid that opens the entire top of blender. Excellent working condition.
08839	RibbonBlender	JACMOR ENGINEERING	1000L M/Steel		1000L Mild Steel Ribbon Blender with 3hp drive motor, chain driven, sliding gate outlet, on legs with access platform, enclosed lids with access points and has a stop/start button.
08849	RibbonBlender		4000L Ribbon Blender	4000	Ribbon Blender, 4000L, St/Steel bowl and shaft with mild steel blades, 30kw motor with soft starter final drive speed of 30rpm, air operated outlet and air purged seals. very heavy duty and side access platform.

This symbol signifies that photos are available for this product on our Website under Catalogue













12/08/11 04:01 PM

# Mixers, Blenders and Agitators

Report0\_2e  
Class code C.0000009

Page 5

Code	Type	Make	Model	Size	Remarks
JY09230	 Rumbler		Hectagon Type		Steel Air Swept On Base Frame
07044	 V-Blender	PATTERSON - KELLY	V- Blender	1300	Stainless steel V- Blender 1300 litres, 3ft dia, very good condition, 5.5kw geared drive, 14" discharge and two manholes in top.
07517	 Vacuum	SARDIK	Vac		5000L Dimple jacked tank with a DP 700kpa on the jkt and 100kpa on the bowl. Vacuum rated. slow speed scraper agitator 20RPM, Vac Pump.37kw V/S Disperser in tank.263-1580RPM Last used to make plastisol.
08235	 Vacuum	FRYMA	50L SS		50Litre, stainless steel vacuum mixer, 7.5kw dissolver mixer, 1.1kw @ 60rpm anchor mixer with scraper blade. Full jacket, 3 Bar, 150degC, vacuum pump and control panel, requires some work on the control panel.
08408	 Vacuum	KRIEGER	MMU 500		St/Steel vacuum mixer, tilting bowl, hydraulic lift of mixing head(needs rams).3 mixing heads, Homogeniser is 2 speed, the anchor stirrer is 6Hp @41rpm and the center mixer is 7.5Hp @ 82rpm The SS bowl is jacketed and a full vacuum can be pulled on it. Does require attention.
08371	 Vertical	SHINKO	SV NAUTA MIXER		USED SHINKO-VRIECO TYPE SV-020VT-2 STAINLESS STEEL CONICAL MIXER DRYER. APPROXIMATELY 2,000 LITRE CAPACITY. INTERNAL RATED FULL VACUUM / 0.3KGF/CM2G DESIGN PRESSURE. EXTERNAL STAINLESS STEEL JACKET RATED 1.9 KGF/CM2G. UNIT HAS STAINLESS STEEL ORBIT ARM AND SCREW WITH TOP MOUNTED VRIECO DRIVE/GEARBOX. UNIT INCLUDES BOTTOM DISCHARGE VALVE. UNIT IS MOUNTED ON SIDE SUPPORT LUGS. EXCELLENT CONDITION. TWO UNITS AVAILABLE.
08509	 Vertical	HOSOKAWA	NX-50		Completely reconditioned HOSOKAWA Nauta mixer. 7m3 capacity with a mixing capacity of 5m3, stainless steel construction with a mild steel jacket. The rotation motor is 11kw and the revolution motor is 1.5kw 50HZ, the mixer stands 5mt high.
06954	 ZBlade	UNKNOWN	200L	200	Stainless steel 200L twin blade Z arm mixer, tilting bowl, 7.5kw drive, run and tested complete with all safety switches. Bowl dims 750mm x 600mm x 550deep.
07365	 ZBlade	BONSER ENGINEERING	450 S/steel	450	Z Blade mixer 450L, stainless steel blades and bowl, jacketed bowl, hydraulic tilt, hot oil heater, 22kw drive, 870 x 855 x 600 deep bowl.
08009	 ZBlade	A.C.WILLARD & CO	750L Z ARM	750	750L Z arm mixer, jacketed bowl, vacuum lid, vacuum pump ( Nash 3kw Exd ABF55 liquid ring), 40Hp Exd Brook drive motor, Sonnerdale SD14 40: 1 gearbox, hydraulic tilt. Runs very well.

 This symbol signifies that photos are available for this product on our Website under Catalogue