



















# Process & Miscellaneous

12/08/11 04:01 PM

Code	Type	Make	Model	Remarks
06739	Air Dryer	SMC	TDF55B-204	max pressure 1000Kpa flow rate 110 L/S, 240 volts, serial no 9409033 oxsm 1371
07267	 Air Dryer	COMPAIR	SAM774	Air Dryer and Air cooled aftercooler new model is F00128A
07763	 Belt Press	ANDRITZ	CPF 10/14S7	Fully automated belt press, YOM 1986, belt width 1100mm, suitable for sludges with low pressing stability. Needs some attention.
08477	 Belt Press	AJM Environmental	TB 2000	S/Steel construction, 2m wide belt, Approx 4-5tonne/hr throughput. Comes with a spare belt.
08058	 Boiler	RADCO	MK 6A	Hot Oil Burner, Size 440kw, YOM 1994, Natural Gas fired, variable temp controller up to 400degC, sihi oil pump very little use, complete with electrics and manuals.
06800	 Bowl Cutters	UNKNOWN	Mild Steel	28" dia, single blade, mild steel, no cover, 5Hp drive.
06801	 Bowl Cutters	BUFFALO	27B	27" dia, 3 blades, mild steel, 5Hp drive 1750rpm. Rated capacity 55lbs or approx 25 litre.
08481	 Burner	BRENNERWERK	Oil Burner - HLO/27D2R	Oil burners, 10-30kg/hr, 220V 50Hz, 0.55kw, 2 units available.
08442	 Chiller	SUPER CHILL	EWKD -930	80 tonnes per hour capacity. unit mounted on skid.
08649	 Chiller	TRANE	CRHR 0400	Water Chiller, 40Ton (140kw) with Reconditioned Trane Hermetic Compressor Model CRHR 400, R22 gas ,recently removed in working order.
08650	 Chiller	CARRIER	30GT-060-L-911-03	Water Chiller, 60 ton or 211kw Model 30GT 060 Twin compressor units, R22 Refrigeration gas. Removed recently in working order. YOM 1998, max amps 154, 415V.
07802	 Classifier	SWECO	TS18	Sweco turbo screen classifier, model TS-18, aluminum construction, 18" diameter screen, last used on glass beads.
08457	 Coating Bowl	UNKNOWN	SS Coating Pan	Stainless steel coating pan, 300mm dia x 400mm deep, 240V, runs well.
08560	 Coating Bowl	SANDWITH ENGINEERING	St/Steel coating drum	Stainless steel coating drum, 1.2m dia x 2m long. Brand new condition, Built in April 2010.
08699	 Coating Bowl	SANDWITH ENGINEERING	1.2m dia x 2m long	Stainless steel coating drum, 1.2m dia x 2m long. Brand new condition, Built in April 2010.
JY09114	 CoolingTower	MULLER	CDV/256/1	F/Glass 100°C Temp
DH55870	 CoolingTower	JACMOR ENGINEERING	LBC60	Round Fibre Glass, Flow rate 780L /Min. 234K Kcal/hr, air vol 430m3/hr YOM1993
ID55048	CoolingTower	COOLBOY	4" Inlet	Fibre Glass 1.1HP Fan Motor At 725 RPM & Pump.

 This symbol signifies that photos are available for this product on our Website under Catalogue















12/08/11 04:01 PM

## Process & Miscellaneous

Class code C.00000011

Page 2

Code	Type	Make	Model	Remarks
07240	 CoolingTower	COOLBOY	CB-350	25-100L/sec, 7.5kw drive on fan, 15kw pump.
ID55326	 CoolingTunnel		cooling conveyor	3 Tier Cooling conveyor
07002	 CycloneAir	UNKNOWN	Stainless steel	Small stainless steel cyclone, 100mm dia x 1.4m tall, 5" air Inlet, 4" air outlet, 5" bottom discharge. Only one left.
07828	 CycloneAir		Mild steel	Mild Steel cyclone in frame. Inlet 700 x 300 clean air outlet 700 x 400 1450dia x 5m total height.
08316	 CycloneAir	HOSOKAWA	MS 3	Ultra fines separator/cyclones, consists of two large cyclones on a platform, one with an internal fan, rotary valves at the bottom of each cyclone and an external high pressure fan and screw auger discharge. Was last used on calcium carbide. Air Volume 60 -100 m3/min Capacity Range 500-1000 Kg/hour
08528	 CycloneAir	UNKNOWN	Galvanised Cyclone	Galvanised cyclone on legs. Dimensions 2.9 m long x 1.8 dia. 300mm outlet.
08571	 Dewatering Screw	DIEMME (ITALY)	PULL PRESS SCREW	Dewatering Screw press,800mm dia 2mt long. complete with 15kw hydraulic powerpack, stainless steel screw and stainless steel wedge wire screen. Product get's loaded into hopper then the screw pushes against the hydraulic door and squeeze's the moisture out of the product. Press can be used on any food product or sludge that requires dewatering.
07187	 Drum Flaker	UNKNOWN	Drum Flaker	Drum Flaker 1m wide x 2.2 diam, used in chemical plant. Mild steel drum, no drive motor.
JY09048	 DrumFilter	JAHCO	1m x 1m	S/Steel Enclosed Type Spray Discharge
DH96491	Dryer	TEKNIK	1700L x 500d	Plastic Pallet CON/Laboratone Type SF2 3.7kW Motor With S/S Hopper
ID55084	 Dryer		4000L/12ft dia	Spray Dryer /Tank 40,000L Cyclone, Heat Engine, Radiator, 12ft dia EX Kraft
07012	 Dryer	MAS	MAS-2518-LM4	4 level vacuum hot wind dryer, stainless steel trays. Ideal for drying foodstuffs. Chamber 1.2m wide x 1.5 tall x 0.9deep.
ID55079	DryerAirHeater	CLIMATEMASTER	< Not specified >	Natural Gas 9100m <sup>3</sup> /HR .75kW x128rpm
JV2914	 DryerDrum		1.780 x 920	230PSI Dryer Drum

 This symbol signifies that photos are available for this product on our Website under Catalogue



12/08/11 04:01 PM

# Process & Miscellaneous

Class code C.00000011

Page 3

Code	Type	Make	Model	Remarks
JY09071	DryerFluidBed	MAURI ENG	12000L	S/Steel 316 Poly Bead Dryer
07010	DryerFluidBed	FREUND	SFC-5	Fluid Bed Dryer, Steam heated, S/Steel construction, approx 6-10kg batch capacity.
07149	DryerFluidBed	NIRO	stainless steel	Horizontal vibrating fluid bed dryer, stainless steel, 5.5m x 0.8m,
JY09072	DryerLongTerm	MAURI ENG	12000L	S/Steel 316 Poly Bead Dryer
08419	DryerOven	HERAEUS	M110	Oven internals 370mm deep x 200mm wide x 150mm high. Max temp is 1200 deg cel. 240 volt.
07042	DryerPaddle	UNKNOWN	150	St/Steel vacum paddle dryer, jacketed, heated shaft, Variable speed, 1.5kw drive, used as a pilot mixer.
07210	DryerRotary		2.6ft dia running gear	Running gear for rotary dryer/cooler or sieve, 2.6ft dia, incl tyre rings, trunnion rollers, guide rollers and pitch sprockets, all unused.
08220	DryerRotary		12m x 2.26m Dia	Mild Steel Rotary Dryer with no running gear or sub frame. Barrel only complete with lifters. Barrel is 12 m long x 2.26 m internal dia. 10mm thick steel barrel. Weight is 15 tonne.
08443	DryerRotary	UNKNOWN	4m x 385mm	St/Steel barrel, on trunion wheels, geared motor drive, runs well. No burner.
08696	DryerRotary	UNKNOWN	6.5m x 0.9m	Rotary Dryer, 6.5m long x 0.9m dia, internal lifting lugs, burner and gas train included, was last drying 4-5tn/hr of fine glass particles. 4kw drive motor 415V, good condition.
07559	DryerSpray	NIRO	Niro	NIRO 30inch dia st/steel spray dryer. Gas fired heat, centrifugal atomizer and feed pump. All mounted on a portable cart. Evaporative Capacity: Up to 5kg/hr for sensitive products and up to 7kg/hr for resilient products.
07619	DryerSpray	BOWEN	Lab Type - AT 2	Bowen Lab Type Spray dryer, 316SS, 30inch dia. Evaporation rate 7-36kg/hr. Temp range 0-500degC. Gas fired, buffalo 2Hp fan, complete with cyclone and collection fan. Atomiser type AT2.
08484	DryerSpray	SACMI	SACMI ATM 35	Sacmi ATM35 spray dryer last used it a tile plant. Capacity 8000kg per/hr at 5%-8% moisture. 316 S/S with cladding, complete with scrubber system and gas burner. 60FT high by 9FT wide.
08579	DryerSpray	NIRO	VSD 12.5 R/N	NIRO Spray dryer Type : VSD 12.5 R/N New : 2007 Rotary atomizer with standard wheel Drying chamber : dia : 2500 mm x 2000 mm/cone 60°c ; inside sheeting of AISI 316, cladding of AISI 314 Heating : EI-Heater 105 kw for max inlet temperature 350°c and steam heater booster for maximum 8 bar. Exhaust system : Cyclone dia 560 CHE et bag filter Powder collection : single point with buckets

This symbol signifies that photos are available for this product on our Website under Catalogue



# Process & Miscellaneous

Code	Type	Make	Model	Remarks
				<p>Pump : Eccentric screw pump, infinitely variable remote control  Control panel : Siemens  Motors and fields instruments ; included, EX el-equipment on request  Fan : Exhaust fan, in noise attenuating box  Material : steel parts coming into contact with product are made of stainless steel AISI 316  Equipment available :</p> <ul style="list-style-type: none"> <li>· Exhaust gas bag filter</li> <li>· Wet scrubber, venture type</li> <li>· Double flap valve, under chamber and cyclone</li> <li>· Combined feef/water tank for 300L feed/7L water</li> <li>· Jet air wall sweep for chamber wall cooling and minimization of deposits</li> <li>· Pneumatic hammers, 5 off, with air regulating equipment.</li> <li>· Stirring feed tank.</li> </ul> <p>Drying air rate at 200°C inlet temp : 1250 kg/h  Drying capacity : between 20-100 kg/h water evaporation, depending on parameters chosen. Max feed input 120 kg/h</p>
08644	DryerSpray	NIRO	P 6.3	Used-GEA Niro Spray Dryer, Model P-6.3N, Fountain Nozzle type dryer. Drying chamber is approximately (2.6 meters) diameter x ( 5.0 meters) High with a 60 degree conical bottom. Electriclly heated. Type FS-1 Atomizer Maximum inlet temperature of 250 °C. evaporative capacity ranging from 20-60 kg/h, depending upon drying temperatures
07175	Evaporator	UNKNOWN	Stainless Steel	Evaporator last used at Food plant on Malt Extract. Scraper discharge. Steam heated, 316 S/Steel.
08143	Evaporator		316 SS	2 stage Evaporator. Both have 50mm tubes that are 6 meters long. First stage has 59 tubes and the second stage has 16 tubes all stainless steel 316. Approx 60sqm surface area on the first stage and 15sqm on the second.
08451	Evaporator	FMC	TASTE	T.A.S.T.E 7 stage 5 effect Evaporator used to concentrate fruit juice from citrus fruits and other fruits. The concentration is achieved by water evaporating in different stages or effects. Approx 10,000 It per hour. The evaporator was described as 40k lb evaporators which means an evaporation rate of 40000 lb/h or 18180 kg/h. Based on this it was calculated the approximate duty for carrot would be a feed rate of 20436 kg/h at 4 Bx concentrating to 2271 kg/h at 36 Bx giving an evaporation rate of 18165 kg/h water removal.
IK84429	Extruder	BUSS	ASV46	4D 4-1, PVC Pelletizing, 1.5KW Motor
07758	Extruder	MAZZONI	M250 Simplex	Extruder and pelletizer, YOM 1986, was last used in the manufacture of soap, Ex Colgate Palmolive.
08778	Extruder	UNKNOWN	SS Extruder	Stainless steel 2inch outlet, twin screw low pressure extruder. Nose cone and Jacketed feed box size 300mmx200mm. St/Steel feed roller .25kw at 20rpm.

This symbol signifies that photos are available for this product on our Website under Catalogue



# Process & Miscellaneous

Class code C.00000011

12/08/11 04:01 PM

Code	Type	Make	Model	Remarks
				Main Motor SEW 15kw at 45rpm.
KC71501	Feeder	ACROMET	Model-1100E	Screw auger feeder, with SEW variable speed drive, capacity 0-250kg.hr. 1.5inch dia screw, 240 volt power requirements.
KC72000	Feeder	ACROMET	< Not specified >	Dry material feeders, 1 inch outlet, 1.1kw drive,
KC71501	Feeder	ACROMET	1300P	Dry Material 1.0m <sup>3</sup> /HR .75kW x 128rpm
ID55469	Feeder	SYNTRON	F10CR	240 volt 300x50mm Runs OK
06998	Feeder	ICAL	SBS7	Vibration bowl feeder, suit bottle caps or similiar, variable vibration, 240V, 800mm bowl dia.
06999	Feeder	SYNTRON	EB1ER	Vibration bowl feeder, suit bottle caps or similiar, 240V, variable vibration.
07233	Feeder	LOCKERS	< Not specified >	10inch dia inlet with a 10 inch oval shaped outlet.
JV2927	Filter	PUREX	400 x 300 Long	S/Steel
JV2928	Filter	PUREX	400 x 300 Long	S/Steel
07190	Filter	MILLIPORE	150 PSI	Basket filter, cloth type, 150PSI @ 121 deg celsius, housing size 110L, 150mm inlet reduced to 80mm, 150mm outlet reduced to 80mm, 316S/S Housing, 600kpa pressure gauge.
07191	Filter	MILLIPORE	316SS	Stainless steel filter, 70 L Housing made from 316S/S, inlet 65mm, outlet 65mm, ex Brewery. Missing internal socks.
07799	Filter	GAF	RBT-1AL	Steel Shell, Stainless steel 4mm filter basket. Max working pressure 10.5 bar or 150 PSI. Max temp 150 deg cel. 28 lt Volume.
07822	Filter	NIAGARA	60H-880-3	304 Stainless steel pressure leaf filter, 880sqft filtering area, 37 vertical st/steel leaves, 75PSI internal pressure internal spray bars.
08128	Filter		Stainless Steel	Each bank of 10 individual filters was used to filter water at 400lt per minute. complete with plc control. 2 bank of filters available. Excellent condition.
08337	Filter	MEMTEC	Membrane filter	Membrane water filter. s/n 88/1293. Complete with 3 kw Lowara pump. 75-200lt/min. Taylor Kent magmaster flowmeter. Park Backwash filter 250l/min. Unit was last used on soft drink and mineral water.
08589	Filter	VELCON	Kwikflo	Coalescing Plate Filter that removes oil and solids from water. S/S construction, capacity 20l/min, with 0.5hp diaphragm pump. Applications: workshops, washbays and silt removal.
07713	Filter Press	NORITAKE	1200 x 1200	Filter press plates and 2 side rails, 1200mm x 1200mm, recessed poly plates with 25mm recess, 44 plates in total, top feed with adapter plate.
08074	Filter Press	SEITZ ZENIT	400 x 400	Type 40/30 Stainless steel frame hand operated filter press. Press has 17 poly 400 x 400 plates. Unit is on wheels.
08089	Filter Press	NETZSCH	470 x 470	Filter Press for Hire - Polyplate filter press with diaphragm pump. Model 021.24/264HPA, 15Bar, YOM 1995, On portable frame and wheels with tow ball. Ex Colgate Palmolive waste water treatment.

This symbol signifies that photos are available for this product on our Website under Catalogue



12/08/11 04:01 PM

# Process & Miscellaneous

Class code C.00000011

Page 6

Code	Type	Make	Model	Remarks
08282	Filter Press		1200x1200	Large filter press, ex chemical process, 40 plates, 1200 x 1200mm.
08358	Filter Press	BRITISH	600 x 600	Filter press with st/steel mesh plates, 63 plates, hydraulic close (requires power pack), last used on fruit juice.
08363	Filter Press		Filter Press 1000	Filter Press 1m*1m*80 recessed plates, with conveyor, semi automatic unit, complete with hydraulics and control box, two units available.
08441	Filter Press	UNKNOWN	S/S FILTER PRESS	Stainless steel fully automatic filter press, 28 X 630mm X 630mm recessed poly plates with plate shaker for cake discharge. Complete with pendent, cake catching tray and control box. Filtration surface area is 11 sq. m. and 0.25cu m cake capacity. Excellent condition
08535	Filter Press	UNKNOWN	JVK	Semi automatic filter press, 57/1mX1m recessed poly plates with diaphragm insert for extra drying, unit is complete with hydraulic systems and chain driven plate catcher.
08539	Filter Press		1M POLY	JVK filter press, plates are 57 1M X 1M Poly recessed with diaphragm bladder inserts, all contact parts are St/St Made in Germany
08647	Filter Press	NORITAKE	NORITAKE FP27	Fully automatic filter press, constructed of mild steel, plates are 800 X 800 X 27 recessed. 0.5cubic meter cake holding capacity. Unit has automatic cake unloading controlled by a pendent. Fitted with an electrical control cabinet and hydraulic power pack.
08440	Filtering Plant	FILTRATION SOLUTIONS	CAF BA-80	Cavitation Air Flotation Filter. 80 cubic mt/hr on separating oils and greases. All stainless steel complete with AMIAD automatic filter skid model SAF 3000. Year 2000
06766	Gluten Ring Dryer	BARR & MURPHY	< Not specified >	Disintergrater - 24 fixed blade, 110kw, manifold, classifier, gas air dryer.
JV0263	HeatExchanger	RADICON	Rac 27 m	Air Cooled
JV2731	HeatExchanger		600d x 4.8m	Shell & Tube M/S & Brass 2 Pass
JV2828	HeatExchanger		700d x 4.5m	Shell & Tube M/S - S/S TP 448Kpa DP 850Sq Ft
JY09090	HeatExchanger		800d x 1.8m	Shell & Tube S/S 408 SQ Ft WP 75PSI 500 F
JY09432	HeatExchanger		170d x 700m	Shell & Tube C/S 7Sq Ft Shell 0.1Mpa 99°C Tube 0.35Mpa 99°C
JY09434	HeatExchanger		380d x 4.2m	Shell & Tube C/S 99SqFt Shell 180 PSI 400Deg F Tube 350 PSI 400Deg F
DI83126	HeatExchanger		1.1d x 6.0m	Shell & Tube C/S DP Tube 350KPA Shell 7500KPA 1980 17 Tonne
BD55650	HeatExchanger		160d x 7m	Shell & Tube Type S/S 37 Tubes 15MM Dia 150 Sq Ft
DH53202	HeatExchanger		50mm Inlet	Stainless Steel Plate, 38 Plates ADV SR2
DH53203	HeatExchanger	APV	Type HXC4	15 Plate
DH53359	HeatExchanger	FRAN RICA	24sq Ft	Continious Scraped Surface Heat Exchanger 100 PSI @ 338° F Aseptic Max.rpm 135. Missing drive motor. Was last used to make meat pieces from meat broth and cereal. 3-4 tonne per hour.
ID55618	HeatExchanger	APV	N35MGS10	Yr 1991 8400L/H 14m² Surface Area W/P 6 Bar Temp 105c
IK84102	HeatExchanger	ALFA LAVAL	P14-RB	60mm Inlet, 60mm Outlet, Stainless Steel, 88 Plates
IK84454	HeatExchanger	APV	Plate	St/St 50 Plate, Grundfos 1.5KW Pump, 40mm Filling.
06491	HeatExchanger	UNKNOWN	Stainless Steel	Shell and Tube Stainless Steel, single pass, approx 120 tubes.

This symbol signifies that photos are available for this product on our Website under Catalogue



12/08/11 04:01 PM

# Process & Miscellaneous

Class code C.00000011

Page 7

Code	Type	Make	Model	Remarks
07392	HeatExchanger	UNKNOWN	Mild steel shell and tube	2.44m x 0.44dia, missing end caps. 3.7m x 600mm, mild steel.
07455	HeatExchanger	HEAT EXCHANGERS AUSTRALIA	UF18	70 x 304S/Steel plates. 0.6mm plate thickness, design pressure 1000kpa, working temp max 65degC, 3 inch inlet/outlet, holding capacity 36litres, YOM 1989.
07809	HeatExchanger	SPIROFLOW	mono tube	Mono tube heat exchangers, stainless steel, 75mm x 3m, Used for meats and solids.
07909	HeatExchanger	REHEAT	12 H	Stainless steel plate heat exchanger, 45 plates, 50mm ports, temp 100degC.
07936	HeatExchanger	ALFA LAVAL	A-15BWFG	Plate heat exchanger, Pressure 8 Bar, Temp 150degC, YOM: 1994, 88plates, 6inch ports.
07937	HeatExchanger	ALFA LAVAL	A-15BWFG	Plate heat exchanger, pressure 1 Bar, temp 100degC, YOM: 1994, 6inch ports, 44 plates. Last used as a slurry pre-cooler.
07949	HeatExchanger	BTU	Shell And Tube	Double pass Shell and Tube suction heater/ heat exchanger. Flanged for the insertion into the side of vessel. TP 1500KPA DP 1000KPA 185 deg celsius. 3.5M long x 265mm dia. 10.5 inch and 6 inch outlets for the shell. 3 inch inlets for the tubes.
08057	HeatExchanger	PITITTO Engineering	2.5 x 0.5 SS	Stainless steel shell and tube heat exchanger, 2.5m long x 500mm dia, YOM 1981. DP Tubes 300KPA, Shell DP 200KPA
08061	HeatExchanger	ALFA LAVAL	IV	500mmdia spiral heat exchanger s/steel contact parts 60mm ports built in 1987, rated at 5bar D.P and 100 deg cel. 4.4m <sup>2</sup> Heating surface.
08145	HeatExchanger	UNKNOWN	SS 2.8 x 0.5	Shell and Tube SS heat exchanger, St/Steel tubes (19mm) and Mild Steel casing. 2.8m long x 0.5m dia.. 55m <sup>2</sup> surface area
08146	HeatExchanger	ALFA LAVAL	Spiral Heat Ex	Spiral Heat Exchanger, SS 316, Design Pressure 3kg/cm <sup>2</sup> , design temp 100degC, Surface Area 96sqm. Ex Edible Oil Industry
08216	HeatExchanger	ALFA LAVAL	AM10-HX	Plate heat exchanger, pressure 6 bar, 58 plates, 480mm x 1200mm, 4 x 100mm ports.
08423	HeatExchanger	TEMAC	4.5m x 0.5m	Shell and tube heat exchanger. Surface area 61.5m <sup>2</sup> . 167 Stainless Steel tubes 23mm ID. 26mm OD. 520kpa W.P. Steel Shell 700kpa WP.
08677	HeatExchanger		Plate 150mm x 450mm	St/Steel plate heat exchanger, ex food plant, 13 plates, 150mm wide x 450mm tall plates
08679	HeatExchanger	ALFA LAVAL	Spiral	St/Steel Spiral heat exchanger, 320sqft surface area, 150psi, YOM 1994, 4inch connections.
08744	HeatExchanger	UNKNOWN	3m x 500mm	Stainless steel shell and tube heat exchanger, 90 tubes, 25mm dia each, 3m long, 21sqm surface area. Steam Heated, TP 18PSI, WP 15PSI, spirax trap, ex Dairy.
08788	HeatExchanger	ALFA LAVAL	P22VLSS	St/Steel Plate heat exchanger, 35 plates, size 250 x 700mm, 2inch connections.
08790	HeatExchanger	SOLICH	Shell and Tube MS	Shell and Tube mild steel heat exchanger, 2m long x 195diam. YOM 2002. 31 Mild steel tubes, 23mm dia, 4.5m <sup>2</sup> surface area. DP 6 bar shell and tubes. Missing end caps.
08791	HeatExchanger		Shell and Tube MS	Low pressure Heat Exchanger 1m long x 250mm dia, Mild Steel outer tube with internal S/Steel coil. 50mm Tube conections.
08828	HeatExchanger	PAASCH & SILKEBORG	SS Plate 1250 x 350	Stainless steel 2 section heat exchanger, 1300lt/hr, 70mm ports, 60 plates, 1250mm x 350mm, ex Soft Drink Company.
08829	HeatExchanger	PAASCH & SILKEBORG	SS Plate 1250 x 350	Stainless steel plate heat exchanger, 70mm ports, 4000L/hr, 50 plates, 1250mm x 350mm, ex Soft Drink Company.

This symbol signifies that photos are available for this product on our Website under Catalogue



12/08/11 04:01 PM

# Process & Miscellaneous

Class code C.00000011

Page 8

Code	Type	Make	Model	Remarks
08833	HeatExchanger	ALFA LAVAL	A15 BFM	SS Plate Heat Exchanger, Model A15 BFM , 10 bar YOM 1990, 210L Volume, 150mm port.
08834	HeatExchanger		M10-BFM	SS Plate Heat Exchanger, 150mm ports, YOM 2002.
ID55477	Homogeniser	STORK	HM5	10,000/Hr, 5cy, Hyd Head, No Motor. 2 stage 250bar.55mm diam plungers.
07237	Homogeniser	APV	HP/Industry 16.51H	YOM: 1993 Was last used for Photographic Emulsion Capacity: 300-400 L/Hr Inlet Pressure: 3-10 Bar (low speed viscosity-high speed viscosity) Max Pump Pressure: 800 bar Cooling Water Volume: Eccentric Oil 90 l/hr Oil volume: Eccentric Sump 11.5-12.5 L Control Voltage 220V AC Operating Voltage 3 x 415V, Motor 15kw, 1440rpm Complete with Variable Speed drive.
08432	Homogeniser	FRYMA	MAXX D 700	Complete Mayonaise line with a total production capacity of 3,800 kg per hour approximately 20 units per minute based on a 3.2 kg PVC jar. Also available in 1 or 2 kg jar, depends on the way of packaging. The Plant has a filling machine with 2 Nozzle's and capping machine and Label machine. The Inline homogenizing mixing and Dispersing Unit is a Frymakoruma MaxxD 700, Usable volume is 500 L mai drive is 22kw 440V/60HZ. Year 2002 Applications: Mayonnaise, Ketchup, Sauces, Dressings, Emulsion, Lotions Creams, Gels, Shampoo, Inks, Photographic emulsions
08566	Homogeniser	CHERRY BURELL	Series 500	Cherry Burell Homogeniser, series 500, 1 3/16 dia plunger, 15hp motor, Capacity 420 US gal/hr, 2600psi. 415V
08624	Homogeniser	APV	MC 15 3TBS	APV Gaulin MC 15 3 TBS Homogenizer, last used on milk, and in excellent condition, ball type valves, 3000PSI, 37kw drive motor. Spares available.
08661	Homogeniser	WILLARD	< Not specified >	350Gal or1600 It hour @3000psi Two stage.
08812	Homogeniser	GAULIN	MC18	Used - APV Gaulin MC 18 Homogenizer, flow rate of 5000 It per hr at 106 BAR. Last used on dairy products, plungers and crank in very good order. Unit has a single stage homogenizing valve.
ID55426	Hydraulic RAM		< Not specified >	72" Long, 6"- 7" Bore, 8" Dia. New Condition.
D111522	HydraulicPowerPack	BOSCH	< Not specified >	Bosch Pump 15hp 1440RPM 5.5lt per min 2300PSI Max 3.5lt per min 5000PSI
DA56988	HydraulicPowerPack	VCC VICKERS		10hp & Tank
DA56992	HydraulicPowerPack	PLESSY		10hp Pump &Tank
DH96137	HydraulicPowerPack		< Not specified >	1500PSI 2hp @ 1420rpm Electric Motor
DA56986	HydraulicPowerPack	ENRICO	Olupomatic	3.7hp & Tank
JY09372	HydraulicPowerPack	REXROTH		3kW Motor Late Model 2 x Units
KC71549	HydraulicPowerPack	CONTINENTAL	< Not specified >	100PSI @ 1500rpm 12.5gpm 5.5hp @ 1430rpm
KC71718	HydraulicPowerPack	VICKERS	< Not specified >	50GPM @ 3000PSI - 120hp less pressure less hp

Mobile, on wheels

This symbol signifies that photos are available for this product on our Website under Catalogue



12/08/11 04:01 PM

# Process & Miscellaneous

Class code C.00000011

Page 9

Code	Type	Make	Model	Remarks
IK84290	HydraulicPowerPack	SPERRY VICKERS	4KW	Empty,
07218	HydraulicPowerPack	PLESSY	2H24CX	Hydraulic powerpack, 15L tank, 7,5hp drive.
07372	HydraulicPowerPack	VICKERS	< Not specified >	45hp 960rpm Brook Motor on Large Tank
07861	HydraulicPowerPack	REXROTH	3kw	3kw hydraulic power pack, very good cond. YOM 2001.
08052	HydraulicPowerPack	VICKERS	< Not specified >	5.5kw and tank. 3500psi
08053	HydraulicPowerPack	DYNAPAK	< Not specified >	15kw and tank.
08100	HydraulicPowerPack	DENISON	< Not specified >	20Hp, 300L tank, up to 4000psi.
08209	HydraulicPowerPack	HYDRA- PAC	4 kw	Small hydraulic power pack, complete with valves and 100L tank.
08567	IndustrialWasher	AKRO-PAK	Bin/Crate Washer	Stainless steel industrial crate/bin washer on conveyor. Bins enter /exit wash bay via conveyor and are sprayed with high pressure nozzles. With pumps and controls.
07069	Meat Grinder		300	Last used on Fish twin 300dia minces 8 mm drilled plates 2x15hp motors 2x openthroat mono 5.5kw
07666	Melting Pot	MC GREGOR	100	Max operating temp 1000deg cel. 400volts, 26 amps. Spare 100kg capacity crucible and spare bricks for one unit. Was last used to melt Aluminium.
08583	MetalDetector	MECAL	MD80	Detection Systems Metal Detector, size of opening 220mm wide x 100mm tall, would suit small items. These units are designed to have a conveyor run through them.
08654	MetalDetector	DETECTION SYSTEMS	500 x 300	Metal detector, 500mm wide x 300mm tall opening. Adjustable sensitivity and delay switches.
08783	MetalDetector	DETECTION SYSTEMS	PCIS - 3000 04-94 5721	Used - PCIS scanning system, used for scanning over products which use's low enegery electromagnetic fields. It is therefore safe for plant operators and products alike. No specialised shielding or safety measures are required. for more information <a href="http://www.detection.com.au/pcis/pcis.shtml">http://www.detection.com.au/pcis/pcis.shtml</a>
IK84079	Minimizer	FUJI PAUDAL	N-400	200/600 kg /hr 16-120 mesh 80% yeild 2.2kw micro granule
06762	Miscellaneous	RIKEN	Hydraulic Sheers SMP3	Hydraulic Sheers, 4" jaw, complete with power pack and hose, hand operated, 240V.
07779	Miscellaneous	UNKNOWN	Stainless Steel canopy	Stainless steel canopy/ exhaust hood, 2.8m x 1.8m x 1m high and has a 500mm fan hole in the top.
08295	Miscellaneous	IDM	Coefficient Friction Tester	Co-efficient friction tester, Model C0008, 240V, Year 2002, instruction manual.

This symbol signifies that photos are available for this product on our Website under Catalogue



12/08/11 04:01 PM

## Process & Miscellaneous

Class code C.0000011

Page 10

Code	Type	Make	Model	Remarks
08312	Miscellaneous	SIMON WALDRON	1.8 x 2 PVC Coating head	Reverse Roll PVC coating head. 1.8m wide coating area. Was last used to coat the back of fabric with PVC Complete with oven.
08314	Miscellaneous	RIZZI	Fleshing Machine	Fleshing machine (ex Tannery), 2.7m wide, 40Hp main drive. Weighs 8tonne.
08417	Miscellaneous	UNKNOWN	Loading Ramp	Steel heavy duty loading ramp, 800mm height, 2.3m wide x 6m long.
08436	Miscellaneous		Blast Mat	3.2m wide x 3.2m high blast mats with 20mm wire rope mounted inside box tubing. 4 available.
08639	Miscellaneous	UNKNOWN	40ft Container Lift	40ft container lifting arm, hydraulic locking pins, the lifting arm can be lifted by a standard forklift. Will lift up to 35tonne.
08728	Miscellaneous		SS Pallet Washer	St/Steel Pallet washer, internal spray nozzles that wash the pallet when its in a vertical position. 415V.
08734	Miscellaneous	OLIPHANT	BSC 1200 Safety Cabinet	Laboratory Biological Safety Cabinet, class2, laminar air flow system, with test certificate, YOM 2004.
08801	Miscellaneous	VISBY	Lathe	Visby Cone master 8.5inch Lathe, 46inch centers, 3 jaw and 4 jaw chuck, good condition
08637	Pelletizer	SIMON	SIMON- BARRON	SIMON BARRON pelletizing mill, complete with a 75KW/4 pole motor and conditioner. Mill is capable of processing most semi- hard products into pellets, with a final pellet size of 2mm dia, length can be varied by changing cutter length on outfeed. Product is fed into centre of mill, corrugated rollers push the product through a 2mm screen, to produce a perfectly shaped pellet. Last used on Chocolate, but could be used for chicken feed or fish meal. Stock code I.8637
ID55494	Planer		1550x310 Table	Twin Blade, Moveable Fence, 3HP 1400RPM Motor Metal Clad Make
KC71745	Press	HONDA	< Not specified >	5 ton mechanical power press, Last used on Shoe Heels
08136	Pressure Cooker	FUJIMORI	mild steel	2600lt capacity pressure cooker. This cooker can be tilted to discharge product and also has an 1.5 inch outlet for liquids. Vessel was last heated by steam and has the steam manifold mounted on the side. max working pressure rating of 3kgf/cm.
DI83447	PulpFeeder	IMPCO	J-246-78	Stainless Steel
DH55855	Radiator	COVENTRY	3M X 2M	Ex 2000KVA Diesel Gen Set 2 x 20Hp Motors Spec Sheets on File
08283	Recycling Plant		Tyre Recycling Line	Complete tyre crumbing and recycling line, will turn whole tyres into crumbs, whilst removing the steel. Approx 2 tonne per/hr out output capacity, output sizes 30mesh,1-4mm, 4-8mm and 8-12mm , complete plant with all electrics. Also two complete tyre buffing lines which remove the rubber of tyres prior to shredding.

This symbol signifies that photos are available for this product on our Website under Catalogue



# Process & Miscellaneous

12/08/11 04:01 PM

Code	Type	Make	Model	Remarks
07207	Rodless Air Cylinder	SMC	MYIC 50G	SMC Rodless air Cylinder . 4.5m long x 50 4500 x B11
JY09298	RotaryValve		190mm x 400 mm	Drop Thru Type With 1.1kW @ 3rpm Gear Drive
DA56953	RotaryValve		6 x 6	Mild Steel With Eddy Current Drive
DH96002	RotaryValve		5.5 x 6	Cast Iron 1hp @ 54rpm Barlow/Westward G/Motor
DI11857	RotaryValve	ALPINE	7 x 10	Type ZS180 On Frame With McKay G/Motor Blow Through Type
JV2761	RotaryValve		125 x 280 Inlet	
JY09391	RotaryValve	GODFREY HOWARD	300 x 380	2.2kW 23PR Steel Tiped Blade
DI11764	RotaryValve	ALPINE	12 x 10	Type ZS300 On Frame With McKay G/Motor Blow Through type
KC71785	RotaryValve	LISBON	6" x 6"	6"X6", Mild Steel .55kw motor with S/S Cyclone 350dx1500L
ID55385	RotaryValve	J/ELEDGER	V300 S/Steel 9	JEL 9" Drop through all Stainless Steel Motor Mount No Motor
06366	RotaryValve	MALCO	500 x 350	Inlet Size 500 x 350, 16RPM, 7.5 Ton p/h,1.5kw Geared Motor Drive,Air operated side acces, on 1m Stand
06859	RotaryValve		Stainless Steel 12 x 12	Drop through type, stainless steel, nylon tipped, with motor mount as new. 12 inch x 12 inch stainless
08041	RotaryValve	SIMON	11x 8.5	Cast iron valve with near new rotor, valve comes complete with 0.75 kw 41 rpm geared motor. Drop through type valve.
08042	RotaryValve	SIMON	8 x 10.75	Cast Iron, bronze tipped, bare shaft rotary valve. Drop through type valve.
08043	RotaryValve	SIMON	9 x 9	Cast Iron drop through type. Complete with 0.5Hp 15 rpm geared motor.
08338	RotaryValve		200x120	Stainless Steel rotary valves two available. Complete with .37kw 20 rpm drive. Inlet is 200mm x120mm flage dimension is 320mm x 225mm
08683	RotaryValve	NU-CON	BT300 S/Steel	Stainless steel blow through type rotary valve. Inlet 270mm x 310mm. Complete with SEW geared motor.
08684	RotaryValve	NU-CON	DT 500E	Stainless Steel drop through type rotary valve.Bare shaft. 230mm x 230 mm inlet/outlet.
08685	RotaryValve	NU-CON	DT500EDEM S/Steel	Drop through type stainless steel rotary valve., with SEW geared motor.230mm x 230mm inlet/outlet.
08735	RotaryValve	NU-CON	SS200	Nu Con rotary valve, complete with .75kw geared motor and frame. Unit is S/S with a 200X200mm flange and : 100mm side entry inlet.
08736	RotaryValve	NU-CON	SS100	Nu-Con rotary valve, with a 220mmX150mm flange and a 70mm outlet. unit is S/S.
08824	RotaryValve	ROTOLOCK	St/Steel 6	Rotary Valve food grade SS Size 6. Made by "Rotolock" 150mm inlet. No drive motor.
ID55307	Rumbler		Steel Lined	Steel Lined 2 Barrells fitted Chain Drive 5HP Gear Motor all in good order
07683	Rumbler		850 x 700	ex button manufacturing.Wooden rumbler missing drive and frame. 850 longx 700 dia.
07684	Rumbler		750 x 700	.75 kw drive wooden rumbler. 750 long x 700dia















12/08/11 04:01 PM

# Process & Miscellaneous

Class code C.00000011

Page 12

Code	Type	Make	Model	Remarks
JY09333	Scales	AVERY	800 x 800	Platform Type 500kgs
08157	 Scales	TWM	10 tonne crane scales	10,000kg crane scales, brand new, 5kg increments. Complete with rechargeable battery and remote controller. Functionality includes (hold, tare, accumulation, kg/lb conversion, gross/net conversion), weather proof display panel.
08166	 Scales	F.A.MAKER	2000kg platform scales	Platform scales, 2000kg capacity, 1kg increments, 1.2m x 1.2m, brand new, 240v. Also available in 3000kg and 5000kg capacity. Call or email for stock availability.
08845	 Screw Press	ANYAN	SP11	Screw press with 11kw motor, for the pressing the oil out of seeds such as such as peanuts, soybeans, rapeseed, nut, cottonseed, castor oil plant, sesame etc. Stainles steel hopper with 75mm inlet into screw. The screw is 700mm long x 75mm.
08403	 Scrubber (wet)		500	500lt capacity wet scrubber with 6 inch inlet port, made from corrosion resistant plastic. Has internal packing ir column and spray bars.
IK84100	 Separator	LAKOS	1LB0300X2	Solids Separator, 5000L Tank, 2200L/Min. Suitable for removing sand, grit and other fines(metal chips etc) from liquids.
08553	 SlicingMachine	URSCHEL	TYPE N	The Urschel® Model N is a versatile machine with the ability to granulate various nuts, meats, cookies, and crackers. Controlled particle size reduction is accomplished by cutting the product instead of hammering. Excellent condition. Last used on nuts.
08399	 Soap Plant	MAZZONI	M-300	MAZZONI DUPLEX M-300 vacuum plodder twin stage single screw. Capacity: 1500 kilos/hour last used on toilet soap. Screws diameter: 300 mm. Excellent condition
JV0152	 Spirals	REICHERT	LD MK11	Spirals 2 Start 14 Turns LDMK11
JV2832	 SteamTurbineCoppus		336kw@4300rpm	See Card For More Tech Detail (H)
08227	 Trommel	FMC	SS Trommel	St/Steel wash trommel, 1.25m dia x 2.9m long, complete with spray nozzles and geared motor driven. Last used for washing fruit.
08748	 Trommel		SS Trommel	St/Steel food grade trommel, 8mm dia holes in mesh, st/steel loading chute and st/steel discharge chute, 415V geared motor drive. Was last used in the confectionary industry.
08832	 Trommel	UNKNOWN	St/Steel Wash Trough	St/Steel wash trough with internal blades, st/steel discharge conveyor for taking product out of the wash trough. Excellent for washing plastics or other products. 1m wide x 3m long x 850mm deep, conveyor is 800mn

 This symbol signifies that photos are available for this product on our Website under Catalogue






12/08/11 04:01 PM

## Process & Miscellaneous

Class code C.00000011

Page 13

Code	Type	Make	Model	Remarks
				wide x 2m long, requires drive motors.
06378	 Water Treatment System		Stainless Steel	60L/hr Penwalt Metering Pump
08378	 Water Treatment System	SEPA	SS3000	Stainless Steel waste water treatment system. Designed to do 3000 LPH.
JV2860	WeighBatchFeeder	R SIMON	800m x 4m	5 - 6 Ton At Feed Rate 0 - 4Hr
JV2861	WeighBatchFeeder	R SIMON	800m x 4m	5 - 6 Ton At Feed Rate 0 - 4 Hr
JV2862	WeighBatchFeeder	R SIMON	1m x 4m	7Ton At Feed Rate 0 - 5Hr
JV2863	WeighBatchFeeder	R SIMON	1m x 4m	7T On Feed Rate 0-5Hr
07989	 WeighBatchFeeder	IMECO	DFM20	Electronic Loss-in-weight weigher. Designed to measure and to adjust free flow granular products with high accuracy. Up to 26m <sup>3</sup> /hr. 240V. EC.