



20/05/10 04:00 PM

Process & Miscellaneous

Class code C.00000011

Page 1

Code	Type	Make	Model	Remarks
08200	Aerator	JAS ENGINEERING	Aerator	Surface aerator, 15 kw electric motor, gear box reconditioned July 2008.
06739	Air Dryer	SMC	TDF55B-204	max pressure 1000Kpa flow rate 110 L/S, 240 volts, serial no 9409033 oxsm 1371
07267	Air Dryer	COMPAIR	SAM774	Air Dryer and Air cooled aftercooler new model is F00128A
DH53363	Attritor	ONSLow	200L	900Dia x 750High S/S Bowl, Jacketed 20hp V/Speed Motor
07588	Baling Press	UNKNOWN	< Not specified >	Hydraulic bailing press with pneumatic safety cage, suitable for plastic/cardboard or other soft recycling materials. 415V.
07763	Belt Press	ANDRITZ	CPF 10/14S7	Fully automated belt press, YOM 1986, belt width 1100mm, suitable for sludges with low pressing stability. Needs some attention.
07309	Boiler	UNKNOWN	Cast Iron	Wood fired cast iron boiler, very heavy duty, approx 80L.
08058	Boiler	RADCO	MK 6A	Hot Oil Burner, Size 440kw, YOM 1994, Natural Gas fired, variable temp controller up to 400degC, sihi oil pump very little use, complete with electrics and manuals.
06800	Bowl Cutters	UNKNOWN	Mild Steel	28" dia, single blade, mild steel, no cover, 5Hp drive.
06801	Bowl Cutters	BUFFALO	27B	27" dia, 3 blades, mild steel, 5Hp drive 1750rpm. Rated capacity 55lbs or approx 25 litre.
06438	Centrifugal Sieve	HOVEX/WESTFALIA	HZ600	5.5KW Motor with AlfaLaval Defoaming Pump 5.5KW Model DZ3R
JV0169	Centrifuge	DE LAVAL	OA5M	Separator - S/S
IK84182	Centrifuge	KRAUSS MAFFEI	ARZ	Basket type stainless bowl, 675mm, used for granule separation.7.5kw. 2 units
IK84203	Centrifuge	BIRD	SCG2 40/1	Bird/Gearbox
ID55478	Centrifuge	BIRD	SA70	Bird/Gearbox 22.5 - 1 Reco.
07864	Centrifuge	SHARPLES	MV 35-32Y	Sharples super centrifuge, tubular bowl, 15,000rpm, 2Hp, for the separation of liquids and solids, used in the production of micro-algal concentrates.
08406	Centrifuge	KRAUSS MAFFEI	HOZY 2050	Peeler centrifuge in good condition, recently refurbished, 316SS bowl, ex starch plant.
07802	Classifier	SWECO	TS18	Sweco turbo screen classifier, model TS-18, aluminum construction, 18" diameter screen, last used on glass beads.
JY09430	Cone		5' D X 4" Deep	S/Steel 12" Discharge Valve

This symbol signifies that photos are available for this product on our Website under Catalogue



Process & Miscellaneous

Class code C.00000011

20/05/10 04:00 PM

Page 2

Code	Type	Make	Model	Remarks
JY09114	CoolingTower	MULLER	CDV/256/1	F/Glass 100°C Temp
DH55870	CoolingTower	JACMOR ENGINEERING	LBC60	Round Fibre Glass, Flow rate 780L /Min. 234K Kcal/hr, air vol 430m3/hr YOM1993
JY09376	CoolingTower	BAC BALTIMORE	VX19-3X	897533
ID55048	CoolingTower	COOLBOY	4" Inlet	Fibre Glass 1.1HP Fan Motor At 725 RPM & Pump.
07240	CoolingTower	COOLBOY	CB-350	25-100L/sec, 7.5kw drive on fan, 15kw pump.
ID55326	CoolingTunnel		cooling conveyor	3 Tier Cooling conveyor
07002	CycloneAir	UNKNOWN	Stainless steel	Small stainless steel cyclone, 100mm dia x 1.4m tall, 5" air Inlet, 4" air outlet, 5" bottom discharge. Only one left.
07690	Deboner	PRIME EQUIPMENT	CFS-LT3-1	Automatically separates bone from meat with one operator. Thighs 50 per min Whole legs 25 per min Drumsticks 35 per min. Complete with 20hp high pressure pump.
07489	Decanter	SHARPLES	P 3000	11kw Main motor, 2.2kw Back drive motor. Bowl 4000rpm. Capacity 4000 to 10,000L/hr. Last used on waste water. Scroll is tiled and in very good order.
07969	Decanter	WESTFALIA	CA225-000	Westfalia CA225-000 decanter with spare scroll. no drive fitted. requires 11kw.
08199	Decanter	ALFA LAVAL	AVNX 730B-31G	Decanter, 18-20kl/hr, 22 kw drive, hydraulic back drive, bowl size 450/258mm, sludge 1.2kg/cm3, 3000rpm Fully reconditioned Jan 09 and not used since. Comes with controls, ABB flow meters, inline mixer, complete system.
08362	Decanter	BIRD - HUMBOLT	CP.3044.SD0.2	2001 Bird/humboldt decanter, 40hp main drive, 10hp viscotherm hydraulic drive for auto scroll torque and speed adjustment. Overhauled unit, capacity 20,000lt per hr. Bowl speed 3500. Model S2-11
08364	Decanter	WESTFALIA	CA 360 010	CA360-010 decanter, bowl speed 4000rpm, 2.0 kg/cubic dm, 30kw v/belt drive, on stand, good condition.
08365	Decanter	SHARPLES	TSM-70-MBD	PM-70,000 Super-D-Canter , Bowl RPM 2420, complete with control box and VSD for both drives. last used on waste water. Capacity 40,000 LT Per/Hr, 75 HP main drive 30 HP rear drive. excellent condition
07187	Drum Flaker	UNKNOWN	Drum Flaker	Drum Flaker 1m wide x 2.2 diam, used in chemical plant. Mild steel drum, no drive motor.
JV2776	DrumFilter	CHEMICAL PLANT	1.5d x 1.2 Face	Rotary Vac Mild Steel 2 Units
JY09048	DrumFilter	JAHCO	1m x 1m	S/Steel Enclosed Type Spray Discharge

This symbol signifies that photos are available for this product on our Website under Catalogue



Process & Miscellaneous

Class code C.00000011

20/05/10 04:00 PM

Code	Type	Make	Model	Remarks
DH96491	Dryer	TEKNIK	1700L x 500d	Plastic Pallet CON/Laboratone Type SF2 3.7kW Motor With S/S Hopper
ID55084	Dryer		40000L/12ft dia	Spray Dryer /Tank 40,000L Cyclone, Heat Engine, Radiator, 12ft dia EX Kraft
07012	Dryer	MAS	MAS-2518-LM4	4 level vacuum hot wind dryer, stainless steel trays. Ideal for drying foodstuffs. Chamber 1.2m wide x 1.5 tall x 0.9deep.
07089	Dryer	SANDVIK	6x400	Flaker (Dryer /Cooler) S/S belt .75Kw SEW V/Speed Drive, Spray Cooling bath
08027	Dryer	UNKNOWN	Nut Dryer	Batch nut dryer, 4m dia, natural gas burner, exhaust fan, was last doing macadamia nuts. Currently dismantled for transport.
08138	Dryer	SANDVIK	800x3400	Continuous stainless Steel belt dryer/cooler. 800mm wide x 3400mm long. Unit is complete with a stainless steel hood. Can be used as a dryer or cooler for various products and has variable speed drive.
ID55079	DryerAirHeater	CLIMATEMASTER	< Not specified >	Natural Gas 9100m ³ /HR .75kW x128rpm
JV2914	DryerDrum		1.780 x 920	230PSI Dryer Drum
JY09071	DryerFluidBed	MAURI ENG	12000L	S/Steel 316 Poly Bead Dryer
07010	DryerFluidBed	FREUND	SFC-5	Fluid Bed Dryer, Steam heated, S/Steel construction, approx 6-10kg batch capacity.
JY09072	DryerLongTerm	MAURI ENG	12000L	S/Steel 316 Poly Bead Dryer
08419	DryerOven	HERAEUS	M110	Oven internals 370mm deep x 200mm wide x 150mm high. Max temp is 1200 deg cel. 240 volt.
07042	DryerPaddle	UNKNOWN	150	St/Steel vacum paddle dryer, jacketed, heated shaft, Variable speed, 1.5kw drive, used as a pilot mixer.
07210	DryerRotary		2.6ft dia running gear	Running gear for rotary dryer/cooler or sieve, 2.6ft dia, incl tyre rings, trunnion rollers, guide rollers and pitch sprockets, all unused.
08220	DryerRotary		12m x 2.26m Dia	Rotary Dryer with no running gear or sub frame. Barrel only complete with lifters. Barrel is 12 m long x 2.26 m internal dia. 10mm thick steel barrel. Weight is 15 tonne.
08329	DryerRotary		Sand Dryer	Rotary Dryer, Hopper, infeed and outfeed conveyors. Complete setup for drying sand. requires burner. Approx 10tonne per hour throughput. Barrel is 1.4m dia x 14m long.
07469	DryerSpray	BUFLOVAC	750 Series	Been used on Milk Powder 750 - 900 pounds per hour at 3.5 percent moisture

This symbol signifies that photos are available for this product on our Website under Catalogue



Process & Miscellaneous

Class code C.00000011

20/05/10 04:00 PM

Page 4

Code	Type	Make	Model	Remarks
07559	DryerSpray	NIRO	Niro	NIRO 30inch dia st/steel spray dryer. Gas fired heat, centrifugal atomizer and feed pump. All mounted on a portable cart. Evaporative Capacity: Up to 5kg/hr for sensitive products and up to 7kg/hr for resilient products.
07619	DryerSpray	BOWEN	Lab Type - AT 2	Bowen Lab Type Spray dryer, 316SS, 30inch dia. Evaporation rate 7-36kg/hr. Temp range 0-500degC. Gas fired, buffalo 2Hp fan, complete with cyclone and collection fan. Atomiser type AT2.
07175	Evaporator	UNKNOWN	Stainless Steel	Evaporator last used at Food plant on Malt Extract. Scraper discharge. Steam heated, 316 S/Steel.
08143	Evaporator		316 SS	2 stage Evaporator. Both have 50mm tubes that are 6 meters long. First stage has 59 tubes and the second stage has 16 tubes all stainless steel 316. Approx 60sqm surface area on the first stage and 15sqm on the second.
IK84224	Expander Dryer	ANDERSON	NO.10	Expander dryer, suitable for pet foods or similar, st/steel barrel (jacketed) and st/steel screw.
IK84429	Extruder	BUSS	ASV46	4D 4-1, PVC Pelletizing, 1.5KW Motor
07758	Extruder	MAZZONI	M250 Simplex	Soap extruder and pelletizer, YOM 1986, was last used in the manufacture of soap, Ex Colgate Palmolive.
KC71501	Feeder	ACROMET	Model-1300P	O/LET .130MM Feed Hopper Acromet Mod 130
KC72000	Feeder	ACROMET	< Not specified >	Dry material feeders, 1 inch outlet, 1.1kw drive,
KC71501	Feeder	ACROMET	1300P	Dry Material 1.0m ³ /HR .75kW x 128rpm
ID55469	Feeder	SYNTRON	F10CR	240 volt 300x50mm Runs OK
06998	Feeder	ICAL	SBS7	Vibration bowl feeder, suit bottle caps or similiar, variable vibration, 240V
06999	Feeder	SYNTRON	EB1ER	Vibration bowl feeder, suit bottle caps or similiar, 240V, variable vibration.
07233	Feeder	LOCKERS	< Not specified >	10inch dia inlet with a 10 inch oval shaped outlet.
07906	Feeder	ERIEZ	55A	240Volt Vibrating feeder. 350mm wide x 800mm long.
JV2927	Filter	PUREX	400 x 300 Long	S/Steel
JV2928	Filter	PUREX	400 x 300 Long	S/Steel
06890	Filter	UNKNOWN	Stainless Steel	12" Filter Press and 18" Pressure leaf filter, all stainless steel, with s/s gear pump, last used to clean citrus oil.
07190	Filter	MILLIPORE	150 PSI	Basket filter, cloth type, 150PSI @ 121 deg celsius, housing size 110L, 150mm inlet reduced to 80mm, 150mm outlet reduced to 80mm, 316S/S Housing, 600kpa pressure gauge.
07191	Filter	MILLIPORE	316SS	Stainless steel filter, 70 L Housing made from 316S/S, inlet 65mm, outlet 65mm, ex Brewery. Missing internal socks.
07799	Filter	GAF	RBT-1AL	Steel Shell, Stainless steel 4mm filter basket. Max working pressure 10.5 bar or 150 PSI. Max temp 150 deg cel. 28 lt Volume.
07822	Filter	NIAGARA	60H-880-3	304 Stainless steel pressure leaf filter, 880sqft filtering area, 37 vertical st/steel leaves, 75PSI internal pressure internal spray bars, ex brewery
08046	Filter		ION 2500	Ion exchange resin filters are used in different separation, purification and decontamination processes. Water softening and water purification are the most common. Stainless Steel 1200mm dia x 2400mm long cylindrical

This symbol signifies that photos are available for this product on our Website under Catalogue



Process & Miscellaneous

Code	Type	Make	Model	Remarks
08128	Filter		Stainless Steel	filters. 3 inch outlets . Each bank of 10 individual filters was used to filter water at 400lt per minute. complete with plc control. 2 bank: of filters available. Excellent condition.
08240	Filter	JENAG	1800	Self cleaning pressure filter. The filter will remove particles from liquids. Capacity up to 6500L/hr, complete with Exd motos, ex Paint industry.
08337	Filter	MEMTEC	Membrane filter	Membrane water filter. s/n 88/1293. Complete with 3 kw Lowara pump. 75-200lt/min. Taylor Kent magmaster flowmeter. Park Backwash filter 250l/min. Unit was last used on soft drink and mineral water.
07713	Filter Press	NORITAKE	1200 x 1200	Filter press plates and 2 side rails, 1200mm x 1200mm, recessed poly plates with 25mm recess, 44 plates in total, top feed with adapter plate.
08074	Filter Press	SEITZ ZENIT	400 x 400	Type 40/30 Stainless steel frame hand operated filter press. Press has 17 poly 400 x 400 plates. Unit is on wheels.
08089	Filter Press	NETZSCH	470 x 470	Polyplate filter press with diaphragm pump. Model 021.24/264HPA, 15Bar, YOM 1995, excellent condition. On portable frame and wheels with tow ball. Ex Colgate Palmolive waste water treatment.
08282	Filter Press		1200x1200	Large filter press, ex chemical process, 40 plates, 1200 x 1200mm.
08346	Filter Press	DURCO	1000MM * 1000MM	Durco EP1000/38-30 recessed plate filter press. 1000mm * 1000mm polypropylene recessed plates for chambers giving 1.5" cake thickness. Filtration surface area is 523 sq. ft. 30 cu. ft capacity. Maximum feed pressure 100 PSIG. Manufactured in 1996. 4" centre feed with 2" corner outlets. Gravity cake discharge.
08358	Filter Press	BRITISH	600 x 600	Filter press with st/steel mesh plates, 63 plates, hydraulic close (requires power pack), last used on fruit juice.
08363	Filter Press		Filter Press 1000	Filter Press 1m*1m*80 recessed plates, with conveyor, semi automatic unit, complete with hydraulics and control box, two units available.
06766	Gluten Ring Dryer	BARR & MURPHY	< Not specified >	Disintergrater - 24 fixed blade, 110kw, manifold, classifier, gas air dryer.
JV0263	HeatExchanger	RADICON	Rac 27 m	Air Cooled
JV2731	HeatExchanger		600d x 4.8m	Shell & Tube M/S & Brass 2 Pass
JV2828	HeatExchanger		700d x 4.5m	Shell & Tube M/S - S/S TP 448Kpa DP 850Sq Ft
JY09090	HeatExchanger		800d x 1.8m	Shell & Tube S/S 408 SQ Ft WP 75PSI 500 F
JY09431	HeatExchanger		300d x 1.6m	Shell & Tube C/S 25Sq Ft Shell 15 PSI 350Deg F Tube 50 PSI 150Deg F
JY09432	HeatExchanger		170d x 700m	Shell & Tube C/S 7Sq Ft Shell 0.1Mpa 99°C Tube 0.35Mpa 99°C
JY09434	HeatExchanger		380d x 4.2m	Shell & Tube C/S 99SqFt Shell 180 PSI 400Deg F Tube 350 PSI 400Deg F
DI83126	HeatExchanger		1.1d x 6.0m	Shell & Tube C/S DP Tube 350KPA Shell 7500KPA 1980 17 Tonne
BD55650	HeatExchanger		160d x 7m	Shell & Tube Type S/S 37 Tubes 15MM Dia 150 Sq Ft
DH53202	HeatExchanger		50mm Inlet	Stainless Steel Plate, 38 Plates ADV SR2
DH53203	HeatExchanger	APV	Type HXC4	15 Plate
DH53359	HeatExchanger	FRAN RICA	24sq Ft	Continious Scraped Surface Heat Exchanger 100 PSI @ 338° F Aseptic Max.rpm 135. Missing drive motor. Was

This symbol signifies that photos are available for this product on our Website under Catalogue



Process & Miscellaneous

Class code C.00000011

20/05/10 04:00 PM

Page 6

Code	Type	Make	Model	Remarks
ID55618	HeatExchanger	APV	N35MGS10	last used to make meat pieces from meat broth and cereal.
IK84102	HeatExchanger	ALFA LAVAL	P14-RB	Yr 1991 8400L/H 14m ² Surface Area W/P 6 Bar Temp 105c
IK84454	HeatExchanger	APV	Plate	60mm Inlet, 60mm Outlet, Stainless Steel, 88 Plates
06491	HeatExchanger	UNKNOWN	Stainless Steel	St/St 50 Plate, Grundfos 1.5KW Pump, 40mm Filling.
07279	HeatExchanger	PROCESSGROUP GEA	VT10VK/CDS-16 316 NBR	Shell and Tube Stainless Steel, single pass, approx 120 tubes. 2.44m x 0.44dia, missing end caps.
07392	HeatExchanger	UNKNOWN	Mild steel shell and tube	Max working temp 120 deg, complete with flow regulators. 0.6mm 316 S/S plates with NBR Gasket, manual's available
07455	HeatExchanger	HEAT EXCHANGERS AUSTRALIA	UF18	3.7m x 600mm, mild steel.
07532	HeatExchanger	SPIROFLOW	S/S	70 x 304S/Steel plates. 0.6mm plate thickness, design pressure 1000kpa, working temp max 65degC, 3 inch inlet/outlet, holding capacity 36litres, YOM 1989. Spare rubber gaskets.
07809	HeatExchanger	SPIROFLOW	mono tube	Spiroflo multi channel 3m long x 100mm dia 50mm inlet ports.Viscous and large partical size
07909	HeatExchanger	REHEAT	12 H	Mono tube heat exchangers, stainless steel, 75mm x 3m, Used for meats and solids.
07936	HeatExchanger	ALFA LAVAL	A-15BWFG	Stainless steel plate heat exchanger, 45 plates, 50mm ports, temp 100degC.
07937	HeatExchanger	ALFA LAVAL	A-15BWFG	Plate heat exchanger, Pressure 8 Bar, Temp 150degC, YOM:1994, 88plates, 6inch ports.
07949	HeatExchanger	BTU	Shell And Tube	Plate heat exchanger, pressure 1 Bar, temp 100degC, YOM:1994, 6inch ports, 44 plates. Last used as a slurry pre-cooler.
08057	HeatExchanger	PITITTO Engineering	shell and tube	Double pass Shell and Tube suction heater/ heat exchanger. Flanged for the insertion into the side of vessel. TP 1500KPA DP 1000KPA 185 deg celsius.3.5M long x 265mm dia.
08061	HeatExchanger	ALFA LAVAL	IV	10.5 inch and 6 inch outlets for the shell. 3 inch inlets for the tubes.
08145	HeatExchanger	UNKNOWN	SS 2.8 x 0.5	Stainless steel shell and tube heat exchanger, 2.5m long x 500mm dia, YOM 1981. DP Tubes 300KPA, Shell DP 200KPA
08146	HeatExchanger	ALFA LAVAL	Spiral Heat Ex	500mmdia spiral heat exchanger s/steel contact parts 60mm ports built in 1987, rated at 5bar D.P and 100 deg cel. 4.4m ² Heating surface.
08216	HeatExchanger	ALFA LAVAL	AM10-HX	Shell and Tube SS heat exchanger, St/Steel tubes (19mm) and Mild Steel casing. 2.8m long x 0.5m dia.
ID55172	Homogeniser	ORMEROD	DFI/CHBA	Spiral Heat Exchanger, SS 316, Design Pressure 3kg/cm ² , design temp 100degC, Surface Area 96sqm. Ex Edible Oil Industry
ID55477	Homogeniser	STORK	HM5	Plate heat exchanger, pressure 6 bar, 58 plates, 480mm x 1200mm, 4 x 100mm ports.
07022	Homogeniser	APV	KF 24 3PS	1000psi, 10 gpm, 1/4 HP S/Steel
07237	Homogeniser	APV	HP/Industry 16.51H	10,000/Hr, 5cy, Hyd Head, No Motor. 2 stage 250bar.55mm diam plungers.

This symbol signifies that photos are available for this product on our Website under Catalogue



Process & Miscellaneous

Class code C.00000011

20/05/10 04:00 PM

Page 7

Code	Type	Make	Model	Remarks
07516	Homogeniser	CREPACO	< Not specified >	Complete with Variable Speed drive.
08224	Homogeniser	MANTON GAULIN	Lab 100/100	27hp 3000PSI @2500L/min.single stage Lab homogeniser, pressure 8000PSI. capacity 100 lt per/hr
ID55426	Hydraulic RAM		< Not specified >	72" Long, 6"- 7" Bore, 8" Dia. New Condition.
DI11522	HydraulicPowerPack	BOSCH	< Not specified >	Bosch Pump 15hp 1440RPM 5.5lt per min 2300PSI Max 3.5lt per min 5000PSI
DA56988	HydraulicPowerPack	VCC VICKERS		10hp & Tank
DA56992	HydraulicPowerPack	PLESSY		10hp Pump & Tank
DH96137	HydraulicPowerPack		< Not specified >	1500PSI 2hp @ 1420rpm Electric Motor
DA56986	HydraulicPowerPack	ENRICO	Olupomatic	3.7hp & Tank
JY09372	HydraulicPowerPack	REXROTH		3kW Motor Late Model 2 x Units
KC71549	HydraulicPowerPack	CONTINENTAL	< Not specified >	100PSI @ 1500rpm 12.5gpm 5.5hp @ 1430rpm
KC71718	HydraulicPowerPack	VICKERS	< Not specified >	50GPM @ 3000PSI - 120hp less pressure less hp
IK84290	HydraulicPowerPack	SPERRY VICKERS	4KW	Empty,
07218	HydraulicPowerPack	PLESSY	2H24CX	Hydraulic powerpack, 15L tank, 7,5hp drive.
07372	HydraulicPowerPack	VICKERS	< Not specified >	45hp 960rpm Brook Motor on Large Tank
07861	HydraulicPowerPack	REXROTH	3kw	3kw hydraulic power pack, very good cond. YOM 2001.
08052	HydraulicPowerPack	VICKERS	< Not specified >	5.5kw and tank. 3500psi
08053	HydraulicPowerPack	DYNAPAK	< Not specified >	15kw and tank.
08100	HydraulicPowerPack	DENISON	< Not specified >	20Hp, 300L tank, up to 4000psi.
08209	HydraulicPowerPack	HYDRA- PAC	4 kw	Small hydraulic power pack, complete with valves and 100L tank.
08047	LabOven	LABORO	300	Electric oven, 240V, thermostat control, 300 x 350mm opening.
07069	Meat Grinder		300	Last used on Fish twin 300dia minces 8 mm drilled plates 2x15hp motors 2x openthroat mono 5.5kw
07095	Meat Tenderiser	FOOD EQUIPMENT AUSTRALIA	TEND 88	Meat tenderiser, S/Steel Belt 550 wide x 2400 long. 2.2kw brake motor
07666	Melting Pot	MC GREGOR	100	Max operating temp 1000deg cel. 400volts, 26 amps. Spare 100kg capacity crucible and spare bricks for one

This symbol signifies that photos are available for this product on our Website under Catalogue



Process & Miscellaneous

20/05/10 04:00 PM

Code	Type	Make	Model	Remarks
				unit. Was last used to melt Aluminium.
07413	MetalDetector	LOCK	Metal Chek 9	Metal detector, Lock metal chek 9, vertical fall type, 100mm tubes.
IK84079	Minimizer	FUJI PAUDAL	N-400	200/600 kg /hr 16-120 mesh 80% yeild 2.2kw micro granule
06762	Miscellaneous	RIKEN	Hydraulic Sheers SMP3	Hydraulic Sheers, 4" jaw, complete with power pack and hose, hand operated, 240V.
07686	Miscellaneous	UNKNOWN	st/steel coil	Stainless steel heating or Cooling coil, suitable for inserting into a tank. 950mm dia x 1000mm deep.
07779	Miscellaneous	UNKNOWN	Stainless Steel canopy	Stainless steel canopy/ exhaust hood, 2.8m x 1.8m x 1m high and has a 500mm fan hole in the top.
08295	Miscellaneous	IDM	Coefficient Friction Tester	Co-efficient friction tester, Model C0008, 240V, Year 2002, instruction manual.
08312	Miscellaneous	SIMON WALDRON	1.8 x 2 PVC Coating head	Reverse Roll PVC coating head. 1.8m wide coating area. Was last used to coat the back of fabric with PVC Complete with oven.
08314	Miscellaneous	RIZZI	Fleshing Machine	Fleshing machine (ex Tannery), 2.7m wide, 40Hp main drive. Weighs 8tonne.
08417	Miscellaneous	UNKNOWN	Loading Ramp	Steel heavy duty loading ramp, 800mm height, 2.3m wide x 6m long.
08270	Oil Expeller	ROSEDOWNNS	MK3A	The screw presses are capable of around 20 to 30 tons/day, oil in cake 4-6%. If used for pre-pressing the capacity is 50-60 tons/day 55 kW Motors. One machine has been "overhauled" since it was last used. The other is workable, but has not been overhauled. The Overall dimension: 4.70 L x 0.760 H x 2.06 W (15'5" x 6'8" x 2'6" W)
07722	Oven, Continuous	TECNOCHIMICA	18m x 1.4m	Natural Gas Fired Roller kiln. 18m long x 1.4m wide x 230mm high. Variable speed, 14 Burners, 0-1200deg.
07950	Oven, Continuous	LINDBERG	2.5m x 0.7m	Continuous Oven Conveyor 2.5m long x 700 wide wire mesh belt. Rated up to 400degC. Variable speed controller for conveyor and timer. Ex Food Industry. 415v 3 phase.
07782	Paint Dispenser		412	Accutinters, 2 units available, paint colour dispensers, 400 series computer controlled.
07046	Pelletizer	YANBEI	SZLH 1	Pelletizer, 6mm die, 304mm dia of die, 37kw drive, output 1-3 tonne/hr, jacketed conditioner with V/S drive. Suitable for stock feeds or other similar applications. Not currently in stock but can be ordered in 10-12 week lead time.



20/05/10 04:00 PM

Process & Miscellaneous

Class code C.00000011

Page 9

Code	Type	Make	Model	Remarks
06784	PelletizerPlant	CUMBERLAND	20x24	20" wide by 24 blades, conveyor fed, dual rollers, belt driven, spare parts included, 2 units available.
ID55494	Planer		1550x310 Table	Twin Blade, Moveable Fence, 3HP 1400RPM Motor Metal Clad Make
KC71745	Press	HONDA	< Not specified >	5 ton mechanical power press, Last used on Shoe Heels
08136	Pressure Cooker	FUJIMORI	mild steel	2600lt capacity pressure cooker. This cooker can be tilted to discharge product and also has an 1.5 inch outlet for liquids. Vessel was last heated by steam and has the steam manifold mounted on the side. max working pressure rating of 3kgf/cm.
DI83447	PulpFeeder	IMPCO	J-246-78	Stainless Steel
DH55855	Radiator	COVENTRY	3M X 2M	Ex 2000KVA Diesel Gen Set 2 x 20Hp Motors Spec Sheets on File
07897	Recycling Plant		Tyre Buffers	Tyre Buffers, suitable for truck tyres, as new machines, will remove rubber from truck tyres down to the metal, complete with extraction fans, sensors and all electrics. 2 units available, output capacity upto 2tn/hr.
08030	Recycling Plant	WASTE RECYCLING EQUIPMENT	800 Waste	Plant consists of 12m long platform conveyor, hoppper and stand, heavy duty trommel (1.8mdia x 2.9m long, 30mm mesh), 7 meter fines conveyor, 4 meter transfer conveyor, and a second trommel (1.2m dia x 3.5m long, 10mm mesh) and control box.
08283	Recycling Plant		Tyre Crumbing Line	Complete tyre crumbing line, will turn whole tyres into crumbs, whilst removing the steel. Approx 2 tonne per/h out output capacity, output sizes 30mesh,1-4mm, 4-8mm and 8-12mm , complete plant with all electrics.
07207	Rodless Air Cylinder	SMC	MYIC 50G	SMC Rodless air Cylinder . 4.5m long x 50 4500 x B11
JY09298	RotaryValve		190mm x 400 mm	Drop Thru Type With 1.1kW @ 3rpm Gear Drive
JY09299	RotaryValve	BUHLER MIAG	400mm x 120mm	Blow Thru Type With 2hp @ 57rpm Gear Drive
DA56953	RotaryValve		6 x 6	Mild Steel With Eddy Current Drive
DH96002	RotaryValve		5.5 x 6	Cast Iron 1hp @ 54rpm Barlow/Westward G/Motor
DI11857	RotaryValve	ALPINE	7 x 10	Type ZS180 On Frame With McKay G/Motor Blow Through Type
JV2761	RotaryValve		125 x 280 Inlet	
JY09391	RotaryValve	GODFREY HOWARD	300 x 380	2.2kW 23PR Steel Tiped Blade
DI11764	RotaryValve	ALPINE	12 x 10	Type ZS300 On Frame With McKay G/Motor Blow Through type

This symbol signifies that photos are available for this product on our Website under Catalogue



20/05/10 04:00 PM

Process & Miscellaneous

Class code C.00000011

Page 10

Code	Type	Make	Model	Remarks
DI83242	RotaryValve		10 x 8	Cast Iron Air Swept .5hp x 23rpm Gear Motor Overhauled
KC71785	RotaryValve	LISBON	6" x 6"	6"X6", Mild Steel .55kw motor with S/S Cyclone 350dx1500L
ID55385	RotaryValve	J/ELEDGER	V300	JEL 9" Drop through all Stainless Steel Motor Mount No Motor
IK84292	RotaryValve	SPROUT-BAUER	300mm Inlet	300mm Outlet, All St/St, Drop Through Type.'
06366	RotaryValve	MALCO	500 x 350	Inlet Size 500 x 350, 16RPM, 7.5 Ton p/h,1.5kw Geared Motor Drive,Air operated side acces, on 1m Stand
06859	RotaryValve		Stainless Steel	Drop through type, stainless steel, nylon tipped, with motor mount as new.
08041	RotaryValve	SIMON	11x 8.5	Cast iron valve with near new rotor, valve comes complete with 0.75 kw 41 rpm geared motor. Drop through type valve.
08042	RotaryValve	SIMON	8 x 10.75	Cast Iron, bronze tipped, bare shaft rotary valve. Drop through type valve.
08043	RotaryValve	SIMON	9 x 9	Cast Iron drop through type. Complete with 0.5Hp 15 rpm geared motor.
08044	RotaryValve	BUHLER MIAG	7	Cast Iron bare shaft drop through type .
08340	RotaryValve	ROTEX	RV5	2 x Mild steel drop through type rotary valves. Complete with .37kw 30 rpm drive. inlet is 200 x 300 flange is 325 x 325.
08341	RotaryValve	NU-CON	DT750B	Mild steel rotary valve complete with a .75kw 25 rpm drive. Inlet is 300mm flange is 320 x 450.
ID55307	Rumbler		Steel Lined	Steel Lined 2 Barrells fitted Chain Drive 5HP Gear Motor all in good order
07673	Rumbler		rumbler - rubber lined	Rubber lined rumbler, 415v drive.
07683	Rumbler		850 x 700	ex button manufacturing.Wooden rumbler missing drive and frame. 850 longx 700 dia.
07684	Rumbler		750 x 700	.75 kw drive wooden rumbler. 750 long x 700dia
07685	Rumbler		1200 x 600	.75kw drive 24rpm, with timer , control board. and wooden rumbler 1200mm long x 600dia
DH96174	Scales	TOLEDO	1200 x 1200	Platform Type 650KGS
JY09333	Scales	AVERY	800 x 800	Platform Type 500kgs
07040	Scales	COLONIAL	Roller	205 litre drum scales, roller table, good condition.
07804	Scales	WEDDERBURN	1000	Max weight 1000kg. Good condition.
08157	Scales	TWM	10 tonne crane scales	10,000kg crane scales, brand new, 5kg increments. Complete with rechargeable battery and remote controller. Functionality includes (hold, tare, accumulation, kg/lb conversion, gross/net conversion), weather proof display panel.
08166	Scales	F.A.MAKER	2000kg platform scales	Platform scales, 2000kg capacity, 1kg increments, 1.2m x 1.2m, brand new, 240v. Also available in 3000kg and 5000kg capacity.
07135	Scrubber (wet)	UNKNOWN	< Not specified >	Hot air gas scrubber - Complete with 132kw scrubber fan.
08403	Scrubber (wet)		500	500lt capacity wet scrubber with 6 inch inlet port, made from corrosion resistant plastic. Has internal packing in column and spray bars.

This symbol signifies that photos are available for this product on our Website under Catalogue



20/05/10 04:00 PM

Process & Miscellaneous

Class code C.00000011

Page 11

Code	Type	Make	Model	Remarks
IK84100	Separator	LAKOS	1LB0300X2	Solids Separator, 5000L Tank, 2200L/Min. Suitable for removing sand, grit and other fines(metal chips etc) from liquids.
08316	Separator	HOSOKAWA	MS 3	Ultra fines separator, consists of two large cyclones on a platform, one with an internal fan, rotary valves at the bottom of each cyclone and an external high pressure fan and screw auger discharge. Was last used on calcium carbide. Air Volume 60 -100 m3/min Capacity Range 500-1000 Kg/hour
08399	Soap Plant	MAZZONI	M-300	MAZZONI DUPLEX M-300 vacuum plodder twin stage single screw. Capacity: 1500 kilos/hour last used on toilet soap. Screws diameter: 300 mm. Excellent condition
IK84354	Solvent Recovery System	RENZMAN	K1	Model KI 600L cap 150c With washer Unit , DW Renzman
JV0152	Spirals	REICHERT	LD MK11	Spirals 2 Start 14 Turns LDMK11
06767	Starch Flash Dryer	BARR & MURPHY	< Not specified >	Disintergrator 12 fixed blade, 110kw motor, injector feed, manifold classifier, gas air dryer,
JV2832	SteamTurbineCoppus		336kw@4300rpm	See Card For More Tech Detail (H)
08227	Trommel	FMC	SS Trommel	St/Steel wash trommel, 1.25m dia x 2.9m long, complete with spray nozzles and geared motor driven. Last used for washing fruit.
06378	Water Treatment System		Stainless Steel	60L/hr Penwalt Metering Pump
07062	Water Treatment System	S.W. HARRISON & SONS	< Not specified >	2000L/Hr, 6000L Sett Tank, 5000 & 1000L Nylex Tank, 3 Dosing Pumps, Stainless Cabinet & Monitoring Sysytem, was treating water prior to sewer.
08174	Water Treatment System		water treatment plant	Complete water treatment plant. Was processing 1000L/min and dirty water. Generating 5tonne of dry cake from the liquid via a filter press (FILTRI FAZZINI). Was last used to process dirty water from a porcelain tile polishing machine. Located in VIC, buyer to remove.
08378	Water Treatment System	SEPA	SS3000	Stainless Steel waste water treatment system. Designed to do 3000 LPH.
JV2860	WeighBatchFeeder	R SIMON	800m x 4m	5 - 6 Ton At Feed Rate 0 - 4Hr
JV2861	WeighBatchFeeder	R SIMON	800m x 4m	5 - 6 Ton At Feed Rate 0 - 4 Hr
JV2862	WeighBatchFeeder	R SIMON	1m x 4m	7Ton At Feed Rate 0 - 5Hr
JV2863	WeighBatchFeeder	R SIMON	1m x 4m	7T On Feed Rate 0-5Hr

This symbol signifies that photos are available for this product on our Website under Catalogue




20/05/10 04:00 PM

Process & Miscellaneous

Class code C.00000011

Page 12

Code	Type	Make	Model	Remarks
07989	 WeighBatchFeeder	IMECO	DFM20	Electronic Loss-in-weight weigher. Designed to measure and to adjust free flow granular products with high accuracy. Up to 26m ³ /hr. 240V. EC.